

No.	Picture of an item	Description of an item
1.		Dettol Antiseptic Liquid 5L
2.		Electrodes ESAB OK GoldRox
3.		ESAB OK Tubrod 15.14 d.1.2mm wire
4.		Grinding disc Cubitron II DCGW T27 125*7
5.		Electrodes ESAB OK48.00 2.0x300
6.		Electrodes ESAB OK48.00 1.6x300
7.		Milwaukee PowerPack M18 BPP2D- 402C 2x4.0Ah Li-Ion

8.		Welding helmet 3M Speedglas G5-02
9.		Welding machine Fronius TransPlus Synergic 2700
10.		Welding machine Fronius TransPocket 150
11.		Welding machine ESAB REBEL EMP320i CE
12.		Respirator 3M 9332
13.		3M welding particulate respirator FFP2
14.		3M full face mask 6000

15.		3M 6889 Breathing valve
16.		3M gas and vapour cartridge A1 6051
17.		3M combined filter ABEK1 6059
18.		3M particulate filters P2 2125
19.		3M filter retainer 502
20.		DELTAPLUS Fall Arrester Harness GALAGO HAR35
21.		Double lanyard (1,5m) with carabiners 20254 EN 362

22.		Snap hook AZ021
23.		AM010D + 2 hooks AM022D Energy Absorber With Elastic Strap
24.		ROPE 14 MM FOR ASCORD® + 1 AM002 - 20 M 20 m, DELTAPLUS
25.		MAXIBLOCK 6M galvanised cable 6mm + 1 AM016, DELTAPLUS
26.		Working position belt PB-10 FA 10 402 00
27.		WATERPROOF ACID-LYEPROOF JACKET 412/A
28.		RHODIUS Alpha Hartmetall-Frässtift Form B HF B ALPHA 16x25x6x70

29.		Grease MULTIPURPOSE COMPLEX S RED 2 400gr
30.		Grease MULTIPURPOSE SYNTHETIC 2 18kg
31.		Diamond drill Ø100-200mm*450mm
32.		Bi-metal drill Ø50-100mm
33.		BATTERY M18 HB12, Milwaukee
34.		DUAL BAY RAPID CHARGER M18DFC, Milwaukee
35.		Work light NOVA 4 SPS, Scangrip

36.		Degreaser for stainless steel WS 3616 G 30kg
37.		Socket set D 32 EAU-2, 3/4", Gedore
38.		Socket 1/2+1/4+3/8 set 124pcs, KS Tools
39.		Socket set 1/4"-3/8" 99pcs CHROME Plus, KS Tools
40.		Flap grinding disc CO-COOL PVZ POLIVLIES 125mm P60/A100 G, Pferd
41.		Diamond grinding wheel disc D130 Premium DIA ABRASIVE, Festool
42.		Adjustable inside/outside angle welding magnet, 30-270°

43.		Fixed angle welding magnets (2pcs/pack): MLD300 + MLD500
44.		Welding magnet dual switch on/off, Adjust - O, 90°, 55kg
45.		Welding magnet dual switch on/off, Adjust - O, 90°, 120kg
46.		Standard welding magnet square, 30°/60°, 45°, 90°, 40kg
47.		Welding magnet on/off Adjust-O, 45°, 90°
48.		Welding magnet on/off Adjust - O, 30°/60°, 45°, 90°, 65kg
49.		Electrodes Oerlikon Supradur 600 4.0*450

50.		Electrodes Oerlikon Citorail 4.0*450
51.		Welding wire Bohler Ti52NGT-FD
52.		Drill bit case BKS SYS3 D3-8 K CE/W Festool
53.		Bottle hydraulic jack 20T, 285mm, OMCN
54.		Portable hydraulic equipment 10T, blow mold case, TBR
55.		Auto body repair kit 10T, Winnitec
56.		Garant CEE 1 IP44 cable reel for site & industry 20m H07RN-F

57.		Power station 2m 1CEE400V+3x230V H07RN-F 5x1,5 16A rub.cable
-----	---	---